

CERAXIO

Simply Reliable.

40x120 cm (16x48 inch)

PORCELAIN TILES

MATTE

Luxury Architectural Surfaces with a rich geometric carving



Residential



Commercial building



Hotel, Cafe & Restaurant



School & College



Airport



Super Market & Mall



Hospital



Industry



Spa & Wellness Centres



Religious Place



Gymnasium



Hall & Corridor



LUXOR
SCULPT

40x120 cm (16x48 inch)

MATTE


CERAXIO
Simply Reliable.

AZURE EARTH

TLSMA5001

AZURE EARTH BAR

TLSMA5002



Variation- 8



APPLICATIONS
WALL & FLOOR

WATER RESISTANCE
++ 0.05%

FROST RESISTANCE
NO DAMAGE

MATERIAL
PORCELAIN



LUXOR
SCULPT


40x120 cm (16x48 inch)

MATTE

CERAXIO
Simply Reliable.


TWILIGHT BOULEVARD

TLSMA5009



TWILIGHT BOULEVARD WAVES

TLSMA5010



APPLICATIONS
WALL & FLOOR

WATER RESISTANCE
++ 0.05%

FROST RESISTANCE
NO DAMAGE

MATERIAL
PORCELAIN




SAPPHIRE SANDS RUST

TLSMA5011

SAPPHIRE SANDS GEO


TLSMA5012



Variation - 6



Variation - 6





LUXOR
SCULPT

40x120 cm (16x48 inch)

MATTE

CERAXIO
Simply Reliable.

CALACATTA DREAM

TLSMA5015

CALACATTA DREAM WAVES

TLSMA5016



Variation - 6



Variation- 6



APPLICATIONS
WALL & FLOOR

WATER RESISTANCE
++ 0.05%

FROST RESISTANCE
NO DAMAGE

MATERIAL
PORCELAIN



LUXOR
SCULPT

40x120 cm (16x48 inch)

MATTE

CERAXIO
Simply Reliable.

CREAMY AMBER

TLSMA5005

CREAMY AMBER TRENDY

TLSMA5006



Variation - 8



Variation - 6



APPLICATIONS
WALL & FLOOR

WATER RESISTANCE
++ 0.05%

FROST RESISTANCE
NO DAMAGE

MATERIAL
PORCELAIN



LUXOR
SCULPT

40x120 cm (16x48 inch)

MATTE


CERAXIO
Simply Reliable.

MARINE MOCHA


TLSMA5014

MARINE MOCHA RAILS

TLSMA5013



Variation - 8



Variation - 8



APPLICATIONS
WALL & FLOOR

WATER RESISTANCE
++ 0.05%

FROST RESISTANCE
NO DAMAGE

MATERIAL
PORCELAIN



MOONLIT SKY


TLSMA5007

MOONLIT SKY BAR

TLSMA5008

Variation - 8

Variation - 8



THE SPA RELAX



LUXOR
SCULPT

40x120 cm (16x48 inch)


MATTE

CERAXIO
Simply Reliable.

OCEANIC GRANITE

TLSMA5019

V - 1



OCEANIC GRANITE DECOR

TLSMA5020



Variation - 4



APPLICATIONS
WALL & FLOOR

WATER RESISTANCE
≤ 0.05%

FROST RESISTANCE
NO DAMAGE

MATERIAL
PORCELAIN



LUXOR
SCULPT

40x120 cm (16x48 inch)

MATTE

CERAXIO
Simply Reliable.

SAPPHIRE STATUARIO

TLSMA5017

SAPPHIRE STATUARIO RAILS


TLSMA5018



Variation - 4



Variation - 6



APPLICATIONS
WALL & FLOOR

WATER RESISTANCE
++02%

FROST RESISTANCE
NO DAMAGE

MATERIAL
PORCELAIN



LUXOR
SCULPT

40x120 cm (16x48 inch)

MATTE

CERAXIO
Simply Reliable.

SAPPHIRE STONE

TLSMA5003

SAPPHIRE STONE TESLA

TLSMA5004

V-1



Variation - 4



APPLICATIONS
WALL & FLOOR

WATER RESISTANCE
++ 0.05%

FROST RESISTANCE
NO DAMAGE

MATERIAL
PORCELAIN



Technical Specification for Luxor Sculpt (16 x 48 Inch)

TEST DESCRIPTION	STANDARD AS PER ISO-13006/EN177 GROUP B1B	VALUE
DEVIATION IN LENGTH & WIDTH	+/-0.6%	+/-0.3%
DEVIATION IN THICKNESS	+/-5.0%	+/-4.0%
STRAIGHTNESS IN SIDE	+/-0.5%	+/-0.1%
RECTANGULARITY	+/-0.5%	+/-0.1%
SURFACE FLATNESS	+/-0.5%	+/-0.2%
COLOR DIFFERENCE	UNALTERED	NO CHANGE
GLOSSINESS	AS PER MFG.	Min 90 %
WATER ABSORPTION	<= 0.05%	<= 0.05%
BREAKING STRENGTH	Min. 1300 N	Min. 1800 N
MODULUS OF RUPTURE	MIN. 35 N/mm2	MIN. 40 N/mm2
IMPACT RESISTANCE	AS PER MFG.	MIN 0.55
Resistance to surface abrasion (PEI RATING)	AS PER MFG.	Min. Class-4
FROST RESISTANCE	NO DAMAGE	NO DAMAGE
MOISTURE EXPANSION	NIL	NIL
CHEMICAL RESISTANCE	NO DAMAGE	NO DAMAGE
STAIN RESISTANCE	Min. Class 3	Class 5
SLIP RESISTANCE	AS PER MFG.	>0.40

The information contained in this catalogue is accurate as possible , but can not be considered as legally binding. The Company reserves right to make any modification that become necessary due to production requirement. Weight, Colors and dimentions are subject to the inevitable variation typical of the ceramic firing process. For Technical printing reasons, the colors shown may slight different from actual tile.



www.ceraxio.com
info@ceraxio.com
ceraxio.ceramica@gmail.com
+91-9898261646 | +91-9925121520



Ravapar Road, Morbi 363641
Gujarat, India

